

# ASA Non-Approved Bat List with Certification Marks

6/16/2015

Bass	Quake		Combat	VIRSP3 Lady Virus		Easton	SCX2 Synergy	
Easton	SCX22 Synergy 2		Louisville Slugger	FP136		Louisville Slugger	FP1368	
Louisville Slugger	FP1369		Louisville Slugger	FPC305 Catalyst (-8)		Louisville Slugger	SB304	
Louisville Slugger	SB34 Genesis		Louisville Slugger	SB404		Louisville Slugger	SB73V TPS Voltage	
Miken	MSF Freak		Miken	MSU Ultra		Miken	MSU2 Ultra II	
Miken	MSUM Ultra Maxload		Nokona	Tomahawk		Schutt	Red/Silver Schutt Bat	
Worth	EST9		Worth	QESTFP		Worth	SBWK(Wicked)	
Worth	SBWKA		Worth	WWSC Wicked Comp. (SP Only)		Worth	WWSCA	
Worth	XEST9X		Worth	XGold		Worth	XPST4	
Worth	XRed		Worth	XWICKX Wicked (SP Only)				

For a complete list of approved bats go to the certified equipment section of [www.usasoftball.com](http://www.usasoftball.com)

Last Updated: April 11, 2014